




SPECIFICATION (AME-150)			
NO.	ITEM	CAPACITY OF WATER (C.U.M.)	BODY MATERIAL
1.	TANK	--	FIBERGLASS , THICKNESS 8 MM.
1.1	SEPARATE / EQUALIZATION TANK	10.63	
1.2	AERATION TANK	11.01	
1.3	SEDIMENTATION TANK	4.38	
1.4	TOTAL	26.02	
2.	EQUIPMENT	CONTENT	
2.1	SEWAGE SUBMERSIBLE PUMP (SEPARATE / EQUALIZATION TANK)	40 A, 0.092 C.U.M. /MIN (TOTAL HEAD 4.0 M.) 0.15 KW., 380 / 3 / 50 , 3000 RPM. (2 SET)	
2.2	SUBMERSIBLE EJECTOR (AERATION TANK)	32 A, 1.30-1.50 KG.O2 /HR. (AT 3000 MMAQ.) 1.50 KW., 380 / 3 / 50 , 3000 RPM. (1 SET)	
2.3	SEWAGE SUBMERSIBLE PUMP (SEDIMENTATION TANK)	40 A, 0.092 C.U.M./MIN (TOTAL HEAD 4.0 M.) 0.15 KW. 380 / 3 / 50 , 3000 RPM. (1 SET)	

- ผลิตภัณฑ์ได้รับผลิตจากโรงงานที่มีใบอนุญาต ร.ง.4 และได้รับรองมาตรฐานสากล
 - : ISO 9001:2015
 - : ISO 14001:2015
 - : ISO 45001:2018
- ผลิตภัณฑ์ผลิตจากรูทใยโพลีเอสเตอร์ด้วยระบบ Autospray Up and Filament Winding โดยมีส่วนประกอบ : ใยแก้ว ซึ่งประกอบด้วย
 - 1. Glass Roving ใยแก้ว
 - Spray-up process มีค่า 2,300-2,400 กรัม/กม.
 - Filament Winding process มีค่า 1,100-1,200 กรัม/กม.
 - 2. Chopped Strand Mat มีน้ำหนักของใยแก้วต่อพื้นที่ผิว 450 กรัม/ตร.ม.
 - 3. Woven Roving มีน้ำหนักของใยแก้วต่อพื้นที่ผิว 600 กรัม/ตร.ม.
- มีผลการทดสอบค่ามาตรฐาน
 - : ASTM D790 Bending Strength $\geq$ 11.00 kg./mm.²
 - : ASTM D638 Tensile Strength $\geq$ 6.20 kg./mm.²



REMARK

- PILING AND FOUNDATION DESIGN, SHALL BE DETERMINED OR OMITTED BASED ON ACTUAL SOIL BEARING CAPACITY BY CONSULTING WITH CIVIL ENGINEER.
- SLING OPTION :
THIS ITEM IS NOT SUBJECT TO DESIGN STANDARD AND SUPPLY
- รายละเอียดตัวถังในแบบคิดจ้ะมีความคลาดเคลื่อน ไปจากสินค้า และทางบริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงแก้ไขสินค้าโดยไม่แจ้งให้ทราบล่วงหน้า ในกรณีที่มีการเปลี่ยนแปลงไม่ส่งผลกระทบต่อการใช้งานของสินค้า

CONSULTING ENGINEER

PROJECT TITLE

OWNER ADDRESS

SIGNATURE

MODEL AME-150

DRAWING TITLE
INSTALLATION DRAWING
PLAN & SECTION

SCALE 1 : 100

SHEET No./TOTAL

DRAWING CODE AME-150.dwg

ENGINEER

DESIGNED

DRAWN P. ARUNEE

15/09/2022

APPROVED U. PHICHAYASAK

PRODUCT NAME



OFFICE : 2 Premier Place, Soi Premier 2,
Srinakarin Rd., Nongbon, Prawet, Bangkok 10250, Thailand
Tel : 02301-2100-1 Fax : 0-2301-2141

FACTORY: 454 Moo 9 Kabinburi Industrial Zone,
Km 12 Kabinburi-Korat-Highway Tombon Nonggee
Umper Kabinburi 25110 Thailand
Tel : (037) 204396-406 Fax : (037) 204407

DRAWING HISTORY